

VR300 Fast Fuel System for Off-Road Equipment

A Quantum Leap in Refueling Technology! Â Â

Get Your Equipment Back to Work Quickly with No Spillage to Clean Up!

- 300 GPM Delivery
- Dry Break Prevents
 Spillage from Tank
 to Nozzle
- Automatic Shutoff
- Vapor Recovery
- Minimal Retrofitting
- Lightweight
- For Mobile or
 Fixed Fueling

Your business depends on heavy, off-road equipment to get the job done, and taking time out to refuel is time stolen away from productivity.

We know how it is because AdelWiggins nozzles for off-highway equipment are the predominant method for refueling haul trucks, loaders, and dozers in more than 90% of the open pit mines around the world. Through 20 years of use our fuel delivery systems have passed the durability and functionality tests of the most brutal operating environments imaginable...just like the place you go to work every day. The expertise gained over these two decades has been applied to our new VR300 Fast Refueling System.

Whether you are an owner/operator or a service contractor, you'll quickly discover that the VR300 System represents a true, long term solution to all current environmental problems associated with equipment refueling. And it does so with delivery rates up to 300 GPM, through a compact nozzle that weighs just 9 lbs. Best of all, using the VR300 System requires no complex and expensive electronics to rapidly, safely, and cleanly fill fuel tanks to a pre-determined level.Â

[See How the VR300 Works](#)

See how the VR300 Fast Fuel System to rapidly, safely and cleanly fill fuel tanks with fast, safe, reliable operation!

[Fail-safe Operation](#)

The VR300 is a closed-circuit, pressure actuated refueling system that incorporates three main components: Nozzle, Receiver and Jet Sensor. They work in concert to assure that fuel continues flowing only when all three components are properly connected and functioning. If any of the three components malfunctions, or the tank is full, or the nozzle is not connected to the receiver, no fuel will flow; no accidental spills can occur.

[Maintenance](#)

The VR300 nozzle is field repairable in less than 30 minutes with only a wrench and screwdriver!

Â

[Specifications](#)

Â

Weight

9 lbs.

Ordering Information
Components may be purchased separately.

Order by Part Number.

Nozzle Â Â Â

VR301

Self-Sealing Receiver

VR305

Jet Sensor - Straight

VR306

Hose Assembly
VR303

Dimensions

Â

Â